

Technical Bulletin # 970523
Date: July 12, 1999
Product: Door Strikes
Product Category: Accessories

Subject: Compatible Locksets for Edwards Door Strikes

The following compilations are the compatible locksets for Edwards Door Openers:

Note: Compatible Lockset designations are offered as a convenience only: reference should be made to manufacturers catalogs for complete data as to exact requirements. Caution must be taken in the alignment of locks with latchbolts when used with an electric strike. The spacing between the door and door jamb varies. If the gap is exceptionally tight, the latchbolt may not project to its maximum length. Edwards Signaling Products, assumes no liability for differences between items compared.

Compatible Locksets for 152 Series Door Strikes

BEST	44F73, 44F77
ILCO	220, 540
LORI	1300
SIMPLEX	200NL
YALE	80, 042



Compatible Locksets for 150 & 151 Door Strikes

ACCURATE	62, 66, 69
ADAMSRITE	4700-8300, 8400
ARROW	C,H,M, L
BEST	5, 7, 50, 6TDL, 9
CORBIN	1400-5600, 6100-6600
DEXTER	DEXLOCK, DURALOCK
DOMINION	300, 400, 5000
GUARD	1990
FALCON	A, BA, D, E, F, N, S, X
HARLOC	6900
KWIKSET	400, 500, 582, 583
LOCKWOOD	930/970, 8000
LORI	80/8200, 81/8300
LSDA	1000-1500, 100-150
MARKS	110, 180
MEDCO	EMBASSY
NATIONAL	400
PDQ	SH,SR,SV,SX
PARKER	160A, 9100, L7100, 2800
RUSSWIN	3400-4300, 400
SARGENT	6, 7, 8, 9, 10
SCHLAGE	A, F, BD
TACO	ED, HV, LXV, SV, MLV
TAYMOR	28
UNICAN	6000, 7004
WEISER	A, BA, D, E
WESLOCK	ALL LOCKS
YALE	5200, 5300



Application Data: For use in new or replacement installations in metal jambs. Used with locksets having up to 5/8" throw (Based on 1/8" door gap).

- Holding Force - 1200 lbs.
- Durability - 500,000 Life Cycles

Compatible Locksets for 154 Series Door Strikes

ACCURATE	66
ARROW	C,H,M
BEST	5, 7, 50, 6TDL
CORBIN	1400-5600, 6100-6600
DEXTER	DEXLOCK, DURALOCK
DOMINION	300, 400, 5000
GUARD	1990
FALCON	A, BA, D, E, F, N
HARLOC	49/5900, 6900
KWIKSET	400-500, 582, 583
LOCKWOOD	900
LORI	80/8200, 81/8300
LSDA	1000-1500, 100-150
MARKS	110
NATIONAL	400
PDQ	SR,SV,SX
PARKER	160A
RUSSWIN	3400, 4300
SARGENT	6, 7, 8, 9, 10
SCHLAGE	A, F
TACO	ED, HV, LXV, SV
TAYMOR	28
UNICAN	6000, 7004
WEISER	A, BA, D, E
WESLOCK	ALL LOCKS
YALE	5200, 5300



Compatible Locksets for 177 & 178 Door Strikes

ACCURATE	66
ARROW	C,H,M
BEST	5, 7, 50, 6TDL
CORBIN	1400-5600, 6100-6600
DEXTER	DEXLOCK, DURALOCK
DOMINION	300, 400, 5000
GUARD	1990
FALCON	A, BA, D, E, F, N, S
HARLOC	49/5900, 6900
KWIKSET	400-500, 582, 583
LOCKWOOD	900
LORI	80/8200, 81/8300
LSDA	1000-1500, 100-150
MARKS	110
NATIONAL	400
PDQ	SR, SV, SX
PARKER	160A
RUSSWIN	3400, 4300
SARGENT	6, 7, 8, 9, 10
SCHLAGE	A, F
TACO	ED, HV, LXV, SV
TAYMOR	28
UNICAN	6000, 7004
WEISER	A, BA, D, E
WESLOCK	ALL LOCKS
YALE	5200, 5300



Application Data: For use in new or replacement installations in wood and metal jambs. Used with locksets having up to 5/8" throw (Based on 1/8" door gap).

- Holding Force - 1100 lbs.
- Durability - 500,000 Life Cycles

Compatible Locksets for 180-AF & 181-AF Door Strikes

ACCURATE	62, 66, 76
ARROW	C,H,M, L
BEST	5, 7, 50, 6TDL, 9
CORBIN	400, 800, 1400-5600, 6100-6600
DEXTER	DEXLOCK, DURALOCK
DOMINION	300, 400, 5000
GUARD	1990
FALCON	A, BA, D, E, F, N, S, X
HARLOC	49/5900, 6900
KWIKSET	400, 500, 582, 583
LOCKWOOD	930/970, 8000
LORI	80/8200, 81/8300
LSDA	1000-1500, 100-150
MARKS	110, 180, 8000-9000
MEDCO	EMBASSY
NATIONAL	400
PDQ	SH,SR,SV,SX
PARKER	160A
RUSSWIN	400, 3400, 4300
SARGENT	6, 7, 8, 9, 10
SCHLAGE	A, B, D, F
TACO	ED, HV, LXV, SV, MLV
TAYMOR	28
UNICAN	6000, 7004
WEISER	A, BA, D, E
WESLOCK	ALL LOCKS
YALE	5200, 5300, 5400



Application Data: For use in new or replacement installations in wood jambs. Used with locksets having up to 3/4" throw (Based on 1/8" door gap).

- Holding Force - 1000 lbs.
- Durability - 500,000 Life Cycles

Compatible Locksets for 188-AF Door Strikes

ACCURATE	62, 67, 76, 7800
ADAMS RITE	4700-8300, 8400
ARROW	C, H, M
BEST	5, 7, 50, 6TDL
CORBIN	1400-5600, 6100-6600
DEXTER	DEXLOCK, DURELOCK
DOMINION	300, 400, 5000
GUARD	1990
FALCON	A, BA, D, E, F, N, S
HARLOC	49/5900, 6900
KWIKSET	400-500, 582, 583
LOCKWOOD	900
LORI	80/8200, 81/8300
LSDA	1000-1500, 100-150
MARKS	110
NATIONAL	400
PDQ	SR, SV, SX
PARKER	160A
RUSSWIN	3400, 4300
SARGENT	6, 7, 8, 9, 10
SCHLAGE	A, F
TACO	ED, HV, LXV, SV
TAYMOR	28
UNICAN	6000, 7004
WEISER	A, BA, D, E
WESLOCK	ALL LOCKS
YALE	5200, 5300



Application Data: For use in new or replacement installations in wood and metal jambs. Auxiliary lever ramps for use with locksets, which contain dead locking levers. Used with locksets having up to 5/8" throw (Based on 1/8" door gap).

- Holding Force - 1100 lbs.
- Durability - 500,000 Life Cycles

Compatible Locksets for 9E Door Strike

ACCURATE	66
ARROW	C,H,M
BEST	5, 7, 50, 6TDL
CORBIN	1400-5600, 6100-6600
DEXTER	DEXLOCK, DURALOCK
DOMINION	300, 400, 5000
GUARD	1990
FALCON	A, BA, D, E, F, N, S
HARLOC	49/5900, 6900
KWIKSET	400-500, 582, 583
LOCKWOOD	900
LORI	80/8200, 81/8300
LSDA	1000-1500, 100-150
MARKS	110
NATIONAL	400
PDQ	SR, SV, SX
PARKER	160A
RUSSWIN	3400, 4300
SARGENT	6, 7, 8, 9, 10
SCHLAGE	A, F
TACO	ED, HV, LXV, SV
TAYMOR	28
UNICAN	6000, 7004
WEISER	A, BA, D, E
WESLOCK	ALL LOCKS
YALE	5200, 5300



Glossary for Electric Door Strike Terms:

Continuous Duty - A device that is designed to operate continuously without rest.

Fail Safe - A device that is normally open and locks when power is applied to the unit. Example: During a loss of power the device remains open.

Fail Secure - A device that is normally closed or locked until power is applied. Example: During loss of power the device remains locked.

Intermittent Duty - A device that is designed to operate for a short period of time; generally less than 45 seconds.

Rectifier - A device that is commonly used to convert AC to DC. Commonly used to silence the audible sound that an electric strike can make while energized on AC.